



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : D06L 1/02, C11D 17/04	A1	(11) International Publication Number: WO 99/02769 (43) International Publication Date: 21 January 1999 (21.01.99)
(21) International Application Number: PCT/US98/14209 (22) International Filing Date: 8 July 1998 (08.07.98) (30) Priority Data: 08/891,850 9 July 1997 (09.07.97) US (71) Applicant: S. C. JOHNSON & SON, INC. [US/US]; 1525 Howe Street, Racine, WI 53403 (US). (72) Inventors: SRAMEK, John, A.; 4 Redwood Court, Racine, WI 53402 (US). STRASH, Thomas, A.; 1919 - 15th Street, Kenosha, WI 53140 (US). (74) Agents: HOUSER, David, J. et al.; S. C. Johnson & Son, Inc., Patent Section, 1525 Howe Street, Racine, WI 53403 (US).		(81) Designated States: AU, CA, JP, NZ, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: MOIST FABRIC WIPE AND METHOD OF USING IT (57) Abstract Disclosed herein are methods for use of a towelette to clean stains from clothing and upholstery. The towelette is impregnated with a cleaning solution that is primarily water, but also contains a volatile cleaning agent and a surfactant. The pH and surfactant concentrations of the cleaning solution are regulated. The wipe reduces the incidence of readily visible rings around treated stains.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

5

MOIST FABRIC WIPE AND METHOD OF USING IT**BACKGROUND OF THE INVENTION**

10 This invention relates to wipes useful for removing stains from clothing, upholstery or the like. More particularly, it relates to the use of wipes to remove such stains without leaving a ring.

 Pre-moistened wipes have been used to clean various hard surfaces. See e.g. U.S. patent 4,666,621. The disclosure of this patent and of all other publications
15 referred to herein are incorporated by reference as if fully set forth herein. Such wipes have also been used to clean human skin (e.g. baby wiping products; after meal cleanup products). Such products typically contain water and alcohol to assist in drying the surface being cleaned. Some also contain a surfactant.

 However, cleaning spots that are on clothing or upholstery presents a more
20 difficult challenge. When the fabric is immersed in a cleaning solution and entirely wetted, the stain can be mobilized, and the staining material and cleaning solution can then be rinsed away. This is the standard technique used in automated clothes washers. This process can be assisted by pre-treating the stain with a stain remover.

 In a number of situations this type of cleaning is impractical for clothing. For
25 example, when traveling one may not have access to an automated washer or dryer, or the time to use them. Moreover, upholstery often cannot easily be removed from furniture for immersion type cleaning.

 Another approach is to remove most of the staining material with an absorbent paper towel or the like (e.g. picking off chunks of food). One then applies a cleaning
30 solution to the fabric which causes the stain to migrate into another absorbent towel placed under the fabric. This technique has utility in some cases, but can leave visible staining material behind. In any event, it is generally unsuitable for use with upholstered furniture.

- 2 -

5 Another approach is to apply a cleaning solution to a stained area of the fabric, and then to rub the solution into the stain in order to mobilize it and disperse it across a larger area of the fabric. The fabric is then allowed to dry. In this technique, much of the staining material stays behind, albeit it is dispersed so that it is much less visible. This approach has been applied to fresh stains using towelettes that are pre-
10 moistened with a cleaning solution. Such a cleaning solution typically has 3.5% - 4.0% surfactant, a few percent of volatile solvents such as alcohols and glycol ethers, over 90% water, and a few other ingredients such as fragrances and preservatives.

Unfortunately, this approach can leave a visible ring at the outer periphery of the cleaning solution dispersion on the fabric, even when the main stain has been
15 adequately cleaned. This problem is particularly troubling for stains containing oils (e.g. salad dressing stains).

In unrelated contexts (e.g. window glass cleaners containing ammonia), cleaning solutions have previously been formulated containing very low surfactant levels.

20 It can thus be seen that there is a need for an improved fabric wipe.

BRIEF SUMMARY OF THE INVENTION

In one aspect the invention provides a method for cleaning a stain spot that is
25 located at a position on a fabric. A wiping applicator has been impregnated with a cleaning solution. The cleaning solution contains water, a volatile agent selected from the group consisting of alcohols, glycols, glycol ethers, and glycerine (mixtures thereof are preferred), and less than 1% by weight surfactant.

The applicator is made to contact the spot so as to transfer some cleaning
30 solution from the wiping applicator to the spot. The cleaning solution then migrates outwardly from the spot to disperse the spot on the fabric. A volatile portion of the cleaning solution then evaporates from the fabric. Optionally, the cleaning solution may contain a fragrance, a preservative, a pH buffer, and at very low concentrations

- 5 (e.g. .5% or less) water insoluble solvents such as mineral spirits, tetradecene, and d-limonene.

The cleaning solution may also contain an enzyme selected from the group consisting of protease and lipase. By including these enzymes, the stain can be pretreated for later conventional washing (e.g. any remnants of the stain will not set
10 into the fabric as well if the enzymes are present).

After the method is performed, the fabric does not have a readily visible ring around the position that the spot had occupied prior to the method. By readily visible we mean not visible to the unaided adult eye (a majority out of ten randomly chosen adults) from 18" away under average daylight (see generally ASTM D4265, note 6).

- 15 For particularly difficult spots, a paper towel or other separate cloth can be used to remove excess stain residue from the spot before beginning the method, and one can then rub the applicator on the spot in a generally spiral motion beginning at the outside of the stain and working towards the center. For best results, it is preferred that the spot be cleaned while it is still fresh.

- 20 The invention is suitable for removing spots from clothing and upholstery fabric. It should also be useful in connection with other types of fabrics (e.g. carpets; drapes).

- A wide variety of stains can be cleaned using the methods of the present invention. These include, without limitation, those caused by foods, beverages, plants
25 (e.g. grass) and soil/dirt stains. Other organic and inorganic stains are also intended to be encompassed within the phrase "stain spot". This technique is particularly useful on stains caused by edible oils such as cooking oil, and/or by food stains caused by very oily materials such as Italian dressing.

- The wiping applicator is preferably a towelette, although the wiping applicator
30 can instead be in various other forms so long as the wiping applicator includes a substrate from which cleaning solution may be readily transferred to a fabric to be cleaned. For example, a daubing applicator having a daubing pad can be used. Daubing applicators well known to the art include bottles having caps that include a pad that is directly wettable by the contents of the bottle.

- 4 -

5 The preferred towelette may be made of any material capable of serving as the vehicle for the cleaning solution. However, it is preferably sufficiently resistant to abrasion that it can be rubbed on a fabric without crumbling or leaving lint.

 Polymeric woven and non-woven fabrics are thus preferred. Rayons, nylons and polyesters and are especially preferred. One non-woven rayon towelette was made
10 from a carded, non-woven 80% rayon/20% acrylic latex chemical binder fabric. Such a towelette base (without the cleaning solution) is commercially available from Fort Howard Corporation, Green Bay, Wisconsin as Grades 971 and 980. Another towelette could be formed from rayon-regenerated cellulose.

 It has surprisingly been learned that a large portion of the material constituting
15 the visible ring that is present when using other dispersion spot cleaners is the residue of the cleaning solution itself (rather than an outer wave of staining material). In the present methods, very low concentrations of surfactant are used, and the pH of the cleaning solution is carefully regulated. In this regard, the cleaning solution has less than 1% surfactant and preferably a pH of between 5.5 and 7.0. A surfactant
20 concentration between 0.0001 and 1% is preferred.

 In other preferred formulations, soil release polymers are also added. Traditionally, a soil release polymer is a polymer that, when allowed to coat a fiber, aids in the release of subsequently applied soils. In the method of the invention, such polymers are applied subsequent to soiling and aid in the removal of soils already in
25 place on the fiber, presumably by the displacement of such soils. Ethoxylated polyesters are preferred such as Sokalan HP-22 (available from BASF). Other soil releasing ethoxylated polyesters are those sold under the name ALCO Alcosperse 745.

 Still other soil release polymers are available from Rhone-Poulenc under the names Repal-O-Tex QCF, QCL, QCS, QCX and SRP. They are water
30 dispersible/water soluble nonionic polyester condensation polymers of polyethylene oxide and dicarboxy anhydrides.

 The surfactant can be selected from a wide variety of anionic, cationic, nonionic, and/or zwitterionic surfactants. Preferably, low foaming surfactants are chosen. Examples of these are described in U.S. patent 4,448,704.

- 5 -

5 Particularly preferred are the anionic surfactants such as the sulfonates (e.g. sodium dodecyl benzene sulfonate). Another preferred anionic surfactants is sodium lauryl ether sulfate.

 The cleaning solution contains mostly water (e.g. preferably upwards of 90%). This is because many food and beverage stains are water soluble.

10 The volatile cleaning agents together will collectively be in the 1%-20% (preferably 3%-10%) range. The preferred glycol ethers are the ethylene glycol ethers (such as those sold as part of the Dowanol series by Dow Chemical) and propylene glycol ethers which are also sold as the Dowanol series by Dow Chemical.

 The preferred alcohols are organic alcohols having ten carbons or fewer
15 (especially the highly volatile, low molecular weight alcohols such as ethanol, isopropanol, butanol and t-butyl alcohol).

 The preferred glycols are those containing ten carbons or less such as ethylene glycol, propylene glycol, butylene glycol, and hexylene glycol.

 These solvent, cleaning agents are highly volatile. Thus, the applicator should
20 be stored in a sealed container prior to use. A preferred container is a sealed pouch. See e.g. the pouch structure of U.S. patent 4,409,116. Such a pouch can be carried conveniently by a traveler or diner and thus be available in case of accidents. Because it is particularly important that the stain be treated while it is still fresh in order for the present methods to be most effective, the convenience of a pouch is important.

25 In another aspect, the invention provides a wiping applicator for use in the above methods. The applicator is impregnated with the above cleaning solution.

 A primary object of the invention is to provide methods for using a fabric wipe which permit the cleaning or visual alleviation of fabric stains without leaving rings that are owing to the cleaning solution.

30 Another object is to provide a method of the above kind that can be used without automated washers or dryers.

 Another object is to provide wipes of the above kind that are portable, inexpensive, and especially effective on oily stains.

- 6 -

5 A further object is to provide fabric wipes that can clean stains on dark fabric clothing or upholstery without adversely affecting the color of most clothing and upholstery.

Yet another object of the present invention is to provide fabric wipes of the above kind that are effective on freshly made, water-based stains.

10 Still other objects and advantage of the present invention will become apparent from examination of the specification and claims which follow.

DETAILED DESCRIPTION OF THE INVENTION

15 A first example of a cleaning solution useful with the fabric wipes of the present invention is:

Example 1

	deionized water	92.79%	solvent
20	isopropanol	3.50%	volatile cleaning agent
	ethylene glycol mono-butyl ether	1.00%	volatile cleaning agent
	ethylene glycol	0.90%	volatile cleaning agent
	N-hexyl ether		
25	propylene glycol	1.00%	volatile cleaning agent
	sodium dodecyl benzene sulfonate	0.08%	surfactant
	sodium citrate	0.33%	builder, pH buffer
	Sokalan HP-22	0.30%	soil release polymer
30	(20% active)		
	Takasago RI-1561/2	0.10%	fragrance

- 7 -

- 5 A second example of a cleaning solution useful with the fabric wipes of the present invention is:

Example 2

10	deionized water	92.63%	solvent
	isopropanol	3.50%	volatile cleaning agent
	ethylene glycol mono-	1.00%	volatile cleaning agent
	butyl ether		
	ethylene glycol N-hexyl	0.90%	volatile cleaning agent
15	ether		
	propylene glycol	1.00%	volatile cleaning agent
	sodium dodecyl benzene	0.08%	surfactant
	sulfonate		
	Proxel GXL	0.10%	preservative
20	sodium citrate	0.34%	builder, pH buffer
	Sokalan HP-22	0.30%	soil release polymer
	(20% active)		
	d-Limonene	0.15%	solvent/fragrance

- 25 The Proxel GXL of Example 2 is a preservative available from Zeneca. Another suitable preservative is Kathon CG-ICP from Rohm & Haas.

5" x 6" cutouts of Fort Howard 80/20 rayon/acrylic latex non-woven material can be submerged for ten seconds in a container filled with one of the above cleaning solutions. The towelettes can then be plucked from the bath and permitted to briefly
 30 drip off. They can then placed in air tight containers until testing.

Alternatively, 3 grams of the cleaning solution can be placed in a pouch with a 5" x 6" swatch of the non-woven material. The pouch can then be sealed until use.

Towelettes so made were used for the following tests. Textile testing swatches were made of cotton or cotton/polyester blend. The fabrics were either white or

- 8 -

5 medium blue. They were pre-stained with various food and beverage products. After
removal of gross remaining food product with a napkin or paper towel (e.g. pieces of
spaghetti were removed when spaghetti was the staining material), the swatches were
treated with the wipes. After such treatment, the stains were permitted to dry. The
textiles were examined by a panel of judges and evaluated on stain removal and ring
10 visibility.

A very oily stain that had a very significant ringing problem on darker fabrics
(e.g. Italian salad dressing) showed a sharp reduction in visible ringing when the
present product was used (in comparison to a commercially available fabric wipe).

What has been described above are the preferred embodiments of the present
15 invention. Other embodiments are also within the intended scope of the claims. For
example, the applicator may be a dauber that feeds fluid to a pad (similar to a shoe
polish dispenser). Further, the formulation of the cleaning solution may be changed to
other formulations. As such, the claims which follow should be looked to in order to
judge the full scope of the invention.

20

Industrial Applicability

The invention provides methods of cleaning stains on fabrics (especially
darker colored fabrics) with reduced residual ringing.

25

5 CLAIMS:

1. A method for cleaning a stain spot located at a position on a fabric, comprising:

10 providing a wiping applicator impregnated with a cleaning solution, the cleaning solution comprising water, a volatile agent selected from the group consisting of alcohols, glycols, glycol ethers, and glycerine, and between 0.0001% and 1% by weight surfactant; and

causing the applicator to contact the spot so as to transfer some of the cleaning solution from the wiping applicator to the spot; and

15 allowing cleaning solution to migrate outwardly from the spot to disperse the spot on the fabric; and

then allowing a volatile portion of the cleaning solution to evaporate from the fabric.

20 2. The method of claim 1, wherein the fabric to be cleaned is selected from the group consisting of clothing and upholstery fabric; and

whereby after the method is performed the fabric does not have a readily visible ring around the position that the spot had occupied prior to performing the method.

25

3. The method of claim 1, wherein the wiping applicator is in the form of a towelette.

4. The method of claim 3, wherein the towelette is formed from a
30 synthetic polymer.

5. The method of claim 1, wherein the cleaning solution has a pH of between 5.5 and 7.0 and also comprises an ethoxylated polyester.

- 10 -

5 6. The method of claim 1, wherein the surfactant is an anionic surfactant.

 7. The method of claim 1, wherein the step of providing a wiping applicator includes providing the wiping applicator stored in an air tight container and removing the wiping applicator from the container for use.

10

 8. The method of claim 7, wherein the container is a sealed pouch.

 9. The method of claim 1, wherein the cleaning solution also comprises an enzyme.

15

 10. The method of claim 9, wherein the enzyme is selected from the group consisting of lipase and protease.

 11. The method of claim 1, wherein the stain spot comprises an oil, and the
20 fabric to be cleaned is other than only white.

 12. A wiping applicator for use in the method of claim 1, wherein the applicator comprises a polymer towelette impregnated with the claim 1 cleaning solution.

25

 13. The applicator of claim 12, wherein the polymer is rayon.

INTERNATIONAL SEARCH REPORT

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 D06L1/02 C11D17/04		Int. :ional Application No PCT/US 98/14209
According to International Patent Classification(IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 D06L C11D		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 336 024 A (ROSSARD JEAN-CLAUDE ET AL) 22 June 1982 see column 6, lines 30-37; column 7, lines 21-34; examples 19, 22-27, 30; experiments 1, 7A-E, 8D1	1,2,6,11
X	--- WO 97 00992 A (PROCTER & GAMBLE) 9 January 1997 see example 1	1-4,9, 10,12,13
X	--- US 4 725 489 A (JONES JACK D ET AL) 16 February 1988 see column 4, line 15 - column 5, line 55; examples 2-8,10	12,13
A	see column 9, line 55 - line 66 --- <div style="text-align: center;">-/--</div>	3,4,7,8
<div style="display: flex; justify-content: space-between;"> <input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex. </div>		
* Special categories of cited documents :		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>		
Date of the actual completion of the international search <div style="text-align: center;">21 October 1998</div>		Date of mailing of the international search report <div style="text-align: center;">02/11/1998</div>
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer <div style="text-align: center;">Ainscow, J</div>

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/14209

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 94 16051 A (SILK & CLEAN INT AB ;FRANZEN HANS (SE)) 21 July 1994 see the whole document ---	3,4,7,8
P,X	WO 98 05814 A (PROCTER & GAMBLE) 12 February 1998 see page 49, line 32 - page 50, line 3; example 1 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/14209

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4336024	A	22-06-1982	AT 7054 T EP 0036833 A PT 72541 B	15-04-1984 30-09-1981 10-02-1982
WO 9700992	A	09-01-1997	EP 0835340 A	15-04-1998
US 4725489	A	16-02-1988	AU 594841 B AU 8192487 A DK 635687 A EP 0273594 A JP 63222728 A PT 86274 B US 4753844 A	15-03-1990 09-06-1988 05-06-1988 06-07-1988 16-09-1988 07-11-1990 28-06-1988
WO 9416051	A	21-07-1994	SE 506543 C EP 0679181 A JP 8505416 T SE 9300088 A	12-01-1998 02-11-1995 11-06-1996 16-07-1994
WO 9805814	A	12-02-1998	NONE	